Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
<b>S1</b>	2	**20020107999*	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07:11:09
S2	2	("6766350").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 11:10
<b>S3</b>	2	(*6078322*),PN;	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 11:13
S4	4	(("5838906") or ("5909545") or ("5964836") or ("5991802")).PN.	USPAT	OR	OFF	2004/12/07 11:28
S5	3	remote with object with (method or function or invocation or procedure or request) same xml same user adj interface	US-PGPUB; USPAT; USOCR; EPO; DERWENT;	AND	ON	2004/12/07 12:49
S6	43	remote with (method or function or invocation or procedure or request) same xml same user adj interface	US-PGPUB; US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07 11:40
<b>S7</b>	48	(remote with (method or function or invocation or procedure or request) or rpc or rml) same xml same user adj interface	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07 11:50
<b>S8</b>	5	S7 not S6	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07 11:50
S9	92	(remote with (method or function or invocation or procedure or request) or rpc or rmi) same client with user adj interface and xml	US-PGPUB; USPAT; USOCR; EPO; DERWENT;	AND	ON	2004/12/07 11:52
S10	14	((remote with (method or function or invocation or procedure or request) or rpc or mi) same client with user adj interface same browser) and xml	US-PGPUB; US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07 11:59
S11	72	web adj service same xml same client:with (interface)	US-PGPUB; USPAT; USOCR; EPO; DERWENT;	AND	ON	2004/12/07 12:03
S12	0	S11 and ((@ad < "20001010") or (@prad < "20001010") or (@rlad < "20001010")) ,	US-PGPUB; US-PGPUB; USPAT; USOCR; EPO; DERWENT;	AND	ON	2004/12/07 12:03
S13	291	web adj service same: client with (interface):	IBM_TDB  US-PGPUB;  USPAT;  USOCR;  EPO;  DERWENT;	AND	ON	2004/12/07 12:03

S14	19	S13 and ((@ad < "20001010") or (@prad < "20001010") or (@rlad < "20001010"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07 13:11
S15	23	("5991802").URPN:	USPAT	AND	ON	2004/12/07 12:10
S16	8	(US-6766350-\$ or US-5991802-\$ or US-5964836-\$ or US-5909545-\$ or US-5838906-\$ or US-6587125-\$ or US-6529936-\$ or US-6480882-\$).did.	USPAT	AND	ON	2004/12/07 12:39
S17	1	S16 and xml and java	USPAT	AND	ON	2004/12/07 12:49
S18	2	S16 and xml	USPAT	AND	ON	2004/12/07 12:49
519	91	remote with object with (method or function or invocation or procedure or request) same xml same (internet or http)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07:12:50
S20	170	remote with object with (method or function or invocation or procedure or request) same xml	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07 12:50
S21	5	remote with object with (method or function or invocation or procedure or request) same xnll same (internet or http) same script\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07 12:52
S22	21	remote with (method or function or invocation or procedure or request) same xml same (internet or http) same script\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07 12:52
S23	27	((remote near3 (method or function or invocation or procedure or request)) or rmi or rpc) same xml same (internet or http) same script\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM TDB	AND	ON	2004/12/07 12:55
S24	5	S23 and ((@ad < "20001010") or (@prad < "20001010") or (@rlad < "20001010"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07 12:53
S25	414	((remote near3 (method or function or invocation or procedure or request)) or rml or rpc) same xml same (internet or http)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07 12:56
S26	118	((remote near3 (method or function or invocation or procedure or request)) or rmi or rpc) same xml same (Internet or http) same client same server	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07 12:56
<b>527</b>	92	((remote near (method or function or invocation or procedure or request)) or rmi or rpc) same xml same (internet or http) same client same server	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07 13:06
S28	54	((remote near (method or function or invocation or procedure or request)) or rmi or rpc) same xml same (internet or http) same client same server same object	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07 13:10

S29	20	S28 and ((@ad < "20001010") or (@prad < "20001010") or (@rlad < "20001010"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07 13:17
S30	0	S17: and (xml same (advantage or benefit or provide or allow or promote))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07 13:15
S31	4	S29 and (xml same (advantage or benefit or provide or allow or promote))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07 13:17
S32	3	S29 and (xml with (advantage or benefit or provide or allow or promote))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND:	ON.	2004/12/07:13:17
S33	113	S25 and (xml with (advantage or benefit or provide or allow or promote))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07 13:17
S34	21	S33 and ((@ad < "20001010") or (@prad < "20001010") or (@riad < "20001010"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07 13:24
S35	110	(719/311).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 13:24
S36	755	(719/315):CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 13:24
S37	358	(719/316).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 13:24
S38	332	(719/330).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR .	OFF	2004/12/07 13:24
S39	73	S35 and ((@ad < "20001010") or (@prad < "20001010") or (@rlad < "20001010"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07 13:24
S40	623	S36 and ((@ad < "20001010") or (@prad < "20001010") or (@rlad < "20001010"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07 13:24

S41	287	S37 and ((@ad < "20001010") or (@prad < "20001010") or (@rlad < "20001010"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07 13:25
S42	245	S38 and ((@ad < "20001010") or (@prad < "20001010") or (@riad < "20001010"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07:13:25
S43	2	"20020129016"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07 16:22
S46	53	(protocol or format or adapt\$4) near2 (set or group or multiple or multi or plural\$4) with (interface or adapt\$4 or proxy or gateway) same (conver\$4 or format or translat\$4 or encod\$4 or transcod\$4 or transform\$4) same (cell adj phone or pda or palm or pager or mobile adj device)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07 16:35
S48	14	S46 and ((@ad < "20010316") or (@prad < "20010316") or (@rlad < "20010316"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07 16:53
S58	43	(wml same hdml same chtml) same (conver\$4 or format or translat\$4 or encod\$4 or transform\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07 16:53
S59	30	S58 and ((@ad < "20010316") or (@prad < "20010316") or (@rlad < "20010316")) .	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07 17:07
S60	71	(Javascript or Java adj script) with (advantage or benefits)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/07:17:08
S61	16	(javascript or java adj script) with (advantage or benefits)	USPAT	AND	ON	2004/12/07 17:08